## Exhibit B to Accompany the Office Action Mailed on March 7, 2003

On the following pages are a copy of the initialed Information Disclosure Statement in U.S. Patent Application Serial No. 09/406,293, mailed with an Office Action dated February 28, 2001 (5 pages).

	LIONE	r's Docket N	MI	P196-0310		xhihit B		052,005		
Subt. For, PTO-1449 Application Number										
INFORMATION DISCLOSURE						163576.166 09/ <del>460,293</del>				
IN AN APPLICATION (MT 1 8 2000) Chen, Zhijian H.										1
	(Us	e several sheets	if nec	essary) \	(Fr.	, Filin	g Date		Group Art Unit	
She	et	1	OF	5	- VA	September	er 24, 1999	9	1652	TEN
	I.							/		TECH
EXAMI INIT	1	DOCUMENT NUMBER		DATE	T	Documer NAME	CLASS	SUBCLASS	FILING DA	
				Foreig	n Pate	nt Docum	ents	/		
EXAMI INIT		DOCUMENT NUMBER		DATE	1	DUNTRY	CLASS	SUBCLASS	TRANSLAT YES	NO _
			(	Other Doo	umen	ts (Includin	g Author, Titl	e, Date Per	tinent Pages,	Etc.)
1/1	A1	Alkalay, et al., 'Mol. Cell. Biol.,	'In Vitr Vol. 1	o Stimulatio 5, No. 3, pp	on of IKE o. 1294-	3 Phosphory 1304 (1995	/latiøn Is Not )	Sufficient t	o Activate NF	-кВ", <b>ј</b>
A	A2	Alkalay, et al., "Stimulation-Dependent IκB-α Phosphorylation Marks the NF-κB Inhibitor for Degradation via the Ubiquitin-Proteasome Pathway" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, pp. 10599-10603 (1995)								
ĺM	АЗ	Arnason and Ellison, "Stress Resistance in Saccharomyces cerevisiae Is Strongly Correlated with Assembly of a Novel Type of Multiubiquitin Chain" <i>Mol. Cell. Biol.</i> , Vol. 14, No. 12, pp. 7876-7883 (1994)								
11/1	A4	Auffray, et al., "IMAGE: Integrated Molegular Analysis of the Human Genome and Its Expression" Sciences, Vol. 318, pp. 293-272 (1995)								
CA	<b>A</b> 5	Auphan et al., Induction of Ike	3 Synti	hesis" <i>Sciel</i>	ngé, Vol	l. 270, pp. 2	86-290 (199	5)		
	<b>A</b> 6	Baeuerle and I Immunol., Vol.	12, pp	o. 141-179 (	1994)					rev. 
	Α7	Baldi, et al., " Proteolysis of	ΙκΒ-α '	¶Vol./271, ไ	Vo. 1, p	p. 376-379	(1996) (	16.00,0	REM	
(M	<b>A8</b>	Barroga et al., Sci., Vol. 92, p	p. 763	7 <b>/</b> 7641 (19	95)					
îA	<b>A</b> 9	Beg, et al., "Τι ΙκΒ-α: a Mech	anişm	for NF-kB	Activation	on." <i>Mol. Ce</i>	ell. Biol. pp. 3	301-3310 ( <sup>-</sup>	1993)	
MA	A10	Belvin, et al., "Cactus Protein Degradation Mediates Drosophila Dorsal-Ventral Signaling"  Genes and Dev., Vol. 9, pp. 783-793 (1995)								
CA	A11	Blank, et al., Molecular Cloning of Mitogen-activated Protein/ERK Kinase Kinases (MEKK) 2 and 3" J. Blol. Chem., Vol. 271, No. 10, pp. 5361-5368 (1996)								
MA	A12	Brockman, J.A., "Coupling of a Signal Response Domain in IκB-α to Multiple Pathways for NF-κB Activation" Mol. Cell. Biol., Vol. 15, No. 5 (1995), 1260 - 28 (8								
[1]	A13	Brown, et al., Science, Vol.	267, p	p. 1485-148	38 (199	5)				ition" 
M	A14	Chau, "A Mult Protein" <i>Scien</i>	iubiqui nce, Vo	tin Chain is ol. 243, pp.	Confin 1576-15	ed to Specil 583 (1989)	fic Lysine in a	a Targeted	Short-Lived	
ν.	/	/								
EXAN	MINER	Mulle				DATE CO	NSIDERED	2 1	122/21	•

EXAMINER Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant.

racti	tione	r's Docket N	o. MPI				10/0	052,005		
				Exhil	oit B			1		
Subt. F	or, PTO	-1449 DRMATION D	ISCLOS	SURF	O 11/035	Number 6.166			tion Number 160,293	
		IN AN APPLI		· /	OCT 1 8 2000 Chen, Zhijian H.					
	(Us	e several sheets	if neces	sary)	b P	ξ <sup>υ</sup> ate	<u> </u>	Grou	ıp Art Unit	Æ
She	eet	2 .	OF	5	Septemb	r 24, 1	1999	• •	1652	山
M	B1	the Yeast MATe	Chen, et al., "Multiple Ubiquitin-Conjugating Enzymes Participate in the In Vivo Degradation of the Yeast MAΤα2 Repressor" <i>Cell</i> , Vol. 74, pp. 357-369 (1993)							
M	B2	Chen, et al., "S Proteasome Pa	ithway" (	Genes and De	<i>v.,</i> Vol. 9, pp. 1	586-159	97 (1995	5) /		
	В3	Chen, et al., "S Protein Kinase	Activity*	Cell,_Vol. 84 (	1996),& <i>53</i> ~	862 c		/		
	В4	Chain Synthesi (1990)	Chen and Pickart, "A 25-Kilodalton Ubiquitin Carrier Protein (E2) Catalyzes Multi-ubiquitin Chain Synthesis via Lysine 48 of Ubiquitin" <i>J. Biol. Chem.</i> , Vol. 265, No. 35, pp. 21835-21842							
	B5	Mating in S. ce	Choi, et al., "Ste5 Tethers Multiple Protein Kinases in the MAP Kinase Cascade Required for Mating in S. cerevisiae" Cell, Vol. 78, pp. 499-512 (1994)							
VIII	B6	Ciechanover. "	Ciechanover. "The Ubiquitin-Proteasome Proteolytic Pathway" Cell, Vol. 79, pp.13-21 (1994)							
int	B7	Derijard, et al., "Independent Human MAP Kinase Signal Transduction Pathways Defined by MEK and MKK Isoforms" <i>Science</i> , Vol. 267, pp. 682-685 (1995)								
(M)	B8	Derijard, et al., "JNK1: A Protein Kinase Stimulated by UV Light and Ha-Ras That Binds and Phosphorylates the c-Jun Activation Domain" Cell, Vol. 76, pp. 1025-1037 (1994)								
	B9	Devary, et al., "NF-kB Activation by Ultraviolet Light Not Dependent on a Nuclear Signal" Science, Vol. 261, pp. 1442-1445 (1993)								
///	B10	Diaz-Meco. "ζPKC Induces Phosphorylation and Inactivation of I kappa B-alpha In Vitro" EMBO J., Vol 13, No. 12, pp. 2842-2848 (1994)								
(M	B11	from NF-kB" N	DiDonato, et al., "Phosphorylation of IκBα Precedes but IS Not Sufficient for Its Dissociation from NF-κB" <i>Mol. cell. Biol.</i> , Vol. 15, No. 3, pp. 1302-1311 (1995)							
M	B12	Dominguez, et al., "Inhibition of Protein Kinase C ζ Subspecies Blocks the Activation of an NF-κB-like activity in Xenopus Laevis Oocytes" <i>Mol. Cell. Biol., Vol. 13, No. 2, pp. 1290-1295</i> (1993)								
În	B13	Finco, et al., "Inducible phosphorylation of IκBα is not sufficient for its dissociation from NF-κB and is inhibited by protease inhibitors" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, pp. 11884-11888 (1994)								
W.	B14	Fir.co and Baldwin, KB Site-Dependent Induction of Gene Expression by Diverse Inducers of Nuclear Factor κβ/Requires Raf-1", J. Biol Chem., Vol. 268, No. 24, pp. 17676-17679 (1993)								
M	B15	Finco and Bald Phosphorylation	96 and P	roteolysis" <i>Imi</i>	munity, Vol. 3,	pp. 263	-272 (19	995)		
(M	B16	Annu. Rev/PI	hysiol., V	ol. 56, pp. 237						es"
	B17	Nature/Vol. 3	44, pp. 6	78-682 (1990)						
M	B18			unctions of the 522-523 (199	e Proteasome: 5)	The Lys	sis at the	e End of the	e Tunnel"	

EXAMINER / /	DATE CONSIDERED
// N ///	
(1 1 1 1 ttt)	7/2//6/
EXAMINER: initial if citation is considered, whether or not citat	ion is in conformance with MPEP § 609: Draw Line through
station if not an experience and not appoint and looked approximate	

Pra	ctiti	loner	's Docket N	o. MPI	96-031CP1DV1 Exhib		10/052,005			
	Subt. For, PTO-1449 INFORMATION DISCLOSURE IN AN APPLICATION					Applicant Application Number O9/460,293  Applicant Chen, Zhijian H.				
(Use several sheets if necessary)							Ground	art Unit		
	She	eet	3	OF	5	September 24, 19	99   165	52 <b>O</b>		
	Gupta, et al., "Transcription Factor ATF2 Regulation by the JNK Signal Transduction Pathway" Science, Vol. 267, pp. 389-393 (1995)									
١	1/10	C2	Haskill, et al., that Encodes	"Charac IĸB-like	terization of an I Activity" <i>Cell</i> , Vo	mmediate-Early Gene In l. 65, pp. 1281-1289 (199	duced in Adherent I 91)	Monocytes		
v.		СЗ	NF-kB" Nature	e, Vol. 3	65, pp. 182-185					
1		C4	Biochem. Biop	ohys. Re	es. Commun., Vo	Polyubiquitin Structure ir bl. 128, No. 3, pp. 1079-1	086 (1985)			
	MA	C5	Biochem., Vol	. 61, pp.	761-807 (1992)					
ι		C6	potentiates th	e c-jun	activation domai	otein- and UV-responsiv n" <i>Genes and Dev.</i> , Vol.	7, pp. 2135-2148 (1	1993)		
		C7	causes tumor	regress	ion" <i>Proc. Natl.</i>	the p65 subunit of NF-κδ Acad. Sci. USA, Vol. 90,	pp. 9901-9905 (199	93)		
		Hirano, et al., "MEK Kinase Is Involved in Tumor Necrosis Factor α-Induced NF-κB Activation and Degradation of IκB-α" J. Biol. Chem., Vol. 247, No. 22, pp. 13234-13238 (1996)								
کر	A	C9	Factor NF-κB (1994)	Kumar, A., et al., "Double-Stranded RNA-Dependent Protein Kinase Activates Transcription Factor NF-κB by Posphorylating IκB" <i>Proc. Natl. Acad. Sci. USA</i> Vol. 91, pp. 6288-6292 (1994)						
Ĺ		C10	Kuno, et al., "Identification of an IκB-α - Associated Protein Kinase in a Human Monocytic Cell Line and Determination of its Phosphorylation Sites on IκB-α " <i>Biol. Chem.</i> Vol. 270, No. 46, pp. 27914-27919 (1995)							
	Coll	C11	Lange-Carter, et al. A Divergence in the MAP Kinase Regulatory Network Defined by MEK Kinase and Raf" Science, Vol. 260, pp. 315-319 (1993)							
/	M	C12	Li and Sedivy "Raf-1 Protein Kinase Activates the NF-κB Transcription Factor By Disassociating/the Cytoplasmic NF-κB-lκB complex" <i>Proc Natl Acad Sci USA.</i> , Vol. 90, pp. 9247-9251 (1993)							
	Lin, et al., "Activation of NF-κB requires proteolysis of the inhibitor lκB-α: Signal-induced phosphorolation of lκB-α alone does not release active NF-κB" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, pp. 552-556, (1995)									
	C14 Lin and Desiderio, "Regulation of V(D)J Recombination Activator Protein RAG-2 by Phosphorylation" Science, Vol. 260, pp. 953-959 (1993)							) <b>y</b>		
	M	C15		)5 are o	oligatory steps in	of MAD3 (IκBα) and enl the activation of NF-κΒ'				
	M	C16		out not d		tor α-induced phosphory NF-κΒ" <i>Proc. Natl. Acad</i>				

EXAMINER . O . / /	DATE CONSIDERED
1 AV at the	0/1/
Malleyr	1/27/0/
EXAMINER: Initial if citation is considered, whether or not citati	on is in conformance with MPEP § 609: Draw Line through
citation if not conformance and not considered. Include copy with	

actiti	ioner's	Docket Nô.	MPI9	6-031CP1DV1C		_10/	052,005	
			_ :	Exhib		!		
Sub	t. For, PTC			OCUPE	O 103576		Application Number 09/460,293	
ľ	IINC	DRMATION [			Y	Applic	ant 4400 19	<del>}</del>
		IN AN APPL	ICATI	JN .	OCT 1 8 2000 Chen, Zhijian H.			
	(Us	e several shee	ts if nec	essary)	Filing	č	Group Art Unit	A
S	Sheet	4	OF	5	Semember	24, 1999	1652	回
							(5.8)	U W
	D1	The state of the s						
	D2	κB1 Precurso	r Proteii	n and the Activat	tion of NF- $\kappa$ B" $C\epsilon$	ell, Vol. 78, pp	For Processing the No. 773-785 (1994)	1F-
	D3	Genomics, Vo	l. 26, p	o. 151-158 (1999	5)		rom Human Testis"	
/ VIII	D4	260, No. 3, pp	. 1573-	1581 (1985)			oteins" <i>J. Biol. Chem.</i>	., Vol.
	D5	Leukocyte Ad	hesion l	Molecule Expres	sion" <i>Immyinity</i> , \	/ol. 2, pp. 49		
	D6	Rodriguez, M.S., et al, "Inducible Degradation of IκBα In Vitro and In Vivo Requires the Acidic C-Terminal Domain of the Protein" Mol. Cell. Biol., Vol. 15(5), pp. 2413-2419 (1995)						
M	D7	Scherer, et al., "Signal-Induced Degradation of IκB-α requires site-specific Ubiquitination" Natl. Acad. Sci. USA., Vol. 92, pp. 11289-11263 (1995)						
	D8	Schreck, et al., "Reactive Oxygen Intermediates as Apparently Widely Used Messengers in the Activation of the NF-kB Transcription Factor and HIV-1" EMBO J., Vol. 10 No. 8, pp. 2247-2258 (1991)						
	) D9	Schutze, et al., "TNF Activates NF-kappa B by Phosphatidylcholine-Specific Phospholipase C-Induced "Acidic" Sphingomyelin Breakdown" Cell, Vol. 71 pp.765 -777						
	/ D10	Siebenlist, et al., "Structure, Regulation and Function of NF-kB" Annu. Rev. Cell Biol., Vol. 10, pp. 405-455 (1994)						
	D11				ion of Inhibitor Ik ol. 259, pp. 1912		e For An Inducible	
1/1/	D12	Thanos and Magratis, "NF-kB: A Lesson in Family Values" Cell, Vol. 80, pp. 529-532 (1995)						
	D13	Thévenin, et al., "Induction of Nuclear Factor-kB and the Human Immunodeficiency Virus Long Terminal Repeat by Okadaic Acid, A Specific Inhibitor of Phosphatases 1 and 2A" New Biol., Vol. 2, pp. 793-800 (1990)						
	D14	Traenckner et al., "A Proteasome Inhibitor Prevents Activation of KF-κB and Stabilizes a Newly Phosphorylated Form of IκB-α That is Still Bound to NF-κB" <i>EMBO J.</i> , Vol. 13, pp.5/33-5441 (1994)						
/(40			lysis an	d NF-ĸB Activati			nes 32 and 36 Contro muli" " <i>EMBO J.</i> , Vol.	
Chi	D16	1		F-кВ/IкВ Family . 9 pp. 2723-273		of Association	and Disassociation"	
	D17				ansduction Path I. Biol. Cell., Vol.		ng the Activity of the F '1 (1993)	Rel-

EXAMINER () M	DATE CONSIDERED
EXAMINER MAN (M)	
111/2.1 8446	2/2/10/
EXAMINER Initial if citation is considered, whether or not citati	on is in conformance with MPEP § 609: Draw Line through
citation if not conformance and not considered. Include copy with r	next communication to applicant.

SIN SIN	E1	Whiteside, et al., "N- and C- Terminal Sequences Control Degradation of MAD3/IκB-α in Response to Inducers of NF-κB Activity" <i>Mol. Cell. Biol.</i> , Vol. 15, No. 10, pp. 5339-5345 (1995)
VIII	E2	Yaglom, et al., "p34Cdc28-Mediated Control of Cln3 Cyclin Degradation" Mol. Cell. Biol., Vol. 15, No. 2, pp. 731-741 (1995)
	E3	Yang, et al., "Deficient signaling in mice devoid of double-stranded RNA-dependent Protein kinase" <i>EMBO J.</i> , Vol. 14, No. 24, pp. 6095-6106 (1995)
	E4	EMBL Database entry Hs369288, Accession Number N56369, from International Search Report, International Application No. PCT/US97/04195
M	E5	EMBL Database entry Hs2038, Accession Number T19203, from International Search Report, International Application No. PCT/US97/04195 (1944)
U#	·	anthopy w. sutton - z:\legal\103576.166\1449.doc

**EXAMINER** 

DATE CONSIDERED

EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant.